

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2985	(709/212,216,229).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:42
L2	63	@ad<"20000509" and (schema or applet or template) and access\$3 and retriev\$4 and publish\$5 and L1	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:43
L3	9	authentivat\$5 same token same session and @ad<"20000509" and L1	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:44
L4	0	(tuplespace or tspace) and XML and spawn and @ad<"20000509" and L1	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:45
L5	0	(tuplespace or tspace) and XML and L1	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:45
L6	0	jspace and XML and L1	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:45
L7	1	@ad<"20000509" and (schema or applet or template) and access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5 and L1	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:46
S1	3	distribut\$3 and network\$3 and Internet and storage and token and message and schema and gate and space and security and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 11:44
S2	10	distribut\$3 and network\$3 and Internet and storage and token and message and schema and gate and space and security and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:27
S3	0	gelernter and tuplespace and XML and schema and token and security and identifier and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:28
S4	0	(tuplespace or tspace) and XML and schema and token and security and identifier and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:29
S5	0	(tuplespace or tspace) and XML and schema and token and security and identifier and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:29
S6	1	(tuplespace or tspace) and XML and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:24
S7	0	(tuplespace or tspace) and XML and token and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:30

S8	0	(tuplespace or tspace) and security and token and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:33
S9	0	(tuplespace or tspace) and token and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:27
S10	2	(tuplespace or tspace) and identif\$3 and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:35
S11	0	(tuplespace or tspace) and session and identif\$3 and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:37
S12	1257	(709/225).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/01/19 17:37
S13	0	((709/225).CCLS.) and @pd<"20000509" and tuplespace	US-PGPUB; USPAT	OR	OFF	2004/01/19 17:38
S14	9	Tspaces and IBM	US-PGPUB; USPAT	OR	OFF	2004/01/20 11:23
S15	1	Tspaces and spawn and IBM	US-PGPUB; USPAT	OR	OFF	2004/01/20 11:31
S16	1	Tspaces and spawn and token and IBM	US-PGPUB; USPAT	OR	OFF	2004/01/20 11:31
S17	1	Tspaces and spawn and token and security and IBM	US-PGPUB; USPAT	OR	OFF	2004/01/20 11:32
S18	0	(tuplespace or tspace) and XML and spawn and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:45
S19	0	(tuplespace or tspace) and XML and create adj memory and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:47
S20	0	(tuplespace or tspace) and spawn and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:47
S21	0	(tuplespace or tspace) and spawn\$3 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:48
S22	3	(tuplespace or tspace) and creat\$3 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:51
S23	3	(tuplespace or tspace) and lehman and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:52
S24	0	(tuplespace or tspace or "t-space") and spawn and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:52
S25	9	(tuplespace or tspace or "t-space") and creat\$3 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:04
S26	9	(tuplespace or tspace or "t-space") and creat\$3 and space and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:55
S27	1	(tuplespace or tspace or "t-space") and creat\$3 adj10 space and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:55

S28	5	(tuplespace or tspace or "t-space") and storage and creat\$3 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:58
S29	0	(tuplespace or tspace or "t-space") and token and authentica\$5 and creat\$3 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:58
S30	0	(tuplespace or tspace or "t-space") and token and authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:58
S31	0	(tuplespace or tspace or "t-space") and authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:59
S32	560	token same authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:59
S33	57	token adj authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 13:59
S34	2	token adj authentica\$5 and PDA and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 14:00
S35	4	root and token adj authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 14:02
S36	0	"root authentication token" and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 14:02
S37	1	(tuplespace or tspace or "t-space") and rhonda and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:05
S38	11242	(tuplespace or tspace or "t-space") and rhonda authenticat\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 10:32
S39	0	(tuplespace or tspace or "t-space") and rhonda and authenticat\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:05
S40	0	(tuplespace or tspace or "t-space") and rhonda and security and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:05
S41	0	(tuplespace or tspace or "t-space") and rhonda and session and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:14
S42	0	(tuplespace or tspace or "t-space") and rhonda and token and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:14
S43	0	(tuplespace or tspace) and construct\$3 and token and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:27
S44	4	(tuplespace or tspace) and construct\$3 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:27
S45	805	authentica\$5 and token and session and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:30

S46	72	authentica\$5 same token same session and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:44
S47	52	authentica\$5 same token same session and storage and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:30
S48	0	authentica\$5 same token same session and storage and tspace and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:30
S49	0	authentica\$5 same token same session and storage and t-space and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:30
S50	5	authentica\$5 same token same session and storage and XML and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2004/01/20 15:30
S51	0	(tuplespace or tspace or "t-space") and creat\$4 same advertis\$6 and authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 10:33
S52	0	(tuplespace or tspace or "t-space") and creat\$4 and advertis\$6 and authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 10:33
S53	0	(tuplespace or tspace or "t-space") same creat\$4 and point\$4 and authentica\$5 and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 10:34
S54	3	distribut\$3 and network\$3 and Internet and storage and token and message and schema and gate and space and security and @pd<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 10:34
S55	14	distribut\$3 and network\$3 and Internet and storage and token and message and schema and gate and space and security and @ad<"20000509"	US-PGPUB; USPAT	OR	OFF	2005/04/20 10:34
S56	3802	@ad<"20000509" and (schema or applet or template) and access\$3 and retriev\$4 and publish\$5	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:43
S57	93	@ad<"20000509" and (schema or applet or template) and access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5	US-PGPUB; USPAT	OR	OFF	2005/04/21 14:46
S58	87	@ad<"20000509" and (schema or applet or template) and access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5 and database	US-PGPUB; USPAT	OR	OFF	2005/04/20 11:46

S59	3	@ad<"20000509" and (schema or applet or template) and access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5 and database and (uri or "uniform resource locator") and xml	US-PGPUB; USPAT	OR	OFF	2005/04/20 11:54
S60	0	@ad<"20000509" and (schema or applet or template) same creat\$4 same access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5 and database and (uri or "uniform resource locator") and xml	US-PGPUB; USPAT	OR	OFF	2005/04/20 11:55
S61	1	@ad<"20000509" and (schema or applet or template) same creat\$4 and access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5 and database and (uri or "uniform resource locator") and xml	US-PGPUB; USPAT	OR	OFF	2005/04/20 12:30
S62	17	@ad<"20000509" and (schema or applet or template) same creat\$4 and access\$3 and retriev\$4 and publish\$5 and "storage space" and advertis\$5 and database and xml	US-PGPUB; USPAT	OR	OFF	2005/04/20 12:36
S63	35	@ad<"20000509" and (schema or applet or template) same transmi\$6 same point\$3 and creat\$4 and access\$3 and retriev\$4 and publish\$5	US-PGPUB; USPAT	OR	OFF	2005/04/20 15:23
S64	1	"6389121".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/20 14:05